

1. Product and Company Identification

Product Code:	Z-NEXTASTRONGNR	
Product Name:	NEXTA™ STRONG	
Company Name:	Stoller Enterprises Inc. 9090 Katy Freeway Suite 400 Houston, TX 77024	Phone Number: 1 (713)461-1493
Web site address:	www.nextabiologicals.com	
Email address:	compliance@stollerusa.com	
Emergency Contact:	CHEMTREC, In the US and Canada call CHEMTREC, From other countries call	1 (800)424-9300 +1 (703)527-3887
Information:		1 (800)539-5283
Synonyms:	Chelated micronutrient solution.	

2. Hazards Identification

Skin Sensitization, Category 1
Respiratory Sensitization, Category 1B
Carcinogenicity, Category 1A
Toxic To Reproduction, Category 2



GHS Signal Word:	Danger
GHS Hazard Phrases:	H317 - May cause an allergic skin reaction. H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. H350 - May cause cancer . H361 - Suspected of damaging fertility or the unborn child .
GHS Precautionary Phrases:	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P281 - Use personal protective equipment as required. P285 - In case of inadequate ventilation wear respiratory protection.
GHS Response Phrases:	P302+352 - IF ON SKIN: Wash with plenty of soap and water. P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P308+313 - IF exposed or concerned: Get medical attention/advice. P321 - Specific treatment see ... on this label. P333+313 - If skin irritation or rash occurs, seek medical advice/attention. P342+311 - If experiencing respiratory symptoms call a POISON CENTER or doctor/physician. P363 - Wash contaminated clothing before reuse.
GHS Storage and Disposal Phrases:	P405 - Store locked up. P501 - Dispose of contents/container in accordance with applicable regulations.

Potential Health Effects (Acute and Chronic):	Acute: Depending on the duration of contact, overexposure can irritate the eyes, skin, mucous membranes and any other exposed tissue.
	Chronic: Expected toxicity hazard: slight Not known. Expected toxicity hazard: slight.
Inhalation:	May be harmful if inhaled.
Skin Contact:	May cause discomfort, skin irritation or rash unless treated promptly.
Eye Contact:	Contact with product may cause redness, slight to severe eye irritation.
Ingestion:	May cause malaise, nausea, burning sensation in stomach, and stomach cramps.

3. Composition/Information on Ingredients

CAS #	Components (Chemical Name)	Concentration	RTECS #
1314-13-2	Zinc oxide	< 1.5 %	ZH4810000
7758-99-8	Copper(II) sulfate pentahydrate	< 2.4 %	GL8900000
10043-35-3	Boric acid	< 2.5 %	ED4550000
10101-97-0	Nickel(II) sulfate hexahydrate	< 0.5 %	QR9600000
17863-38-6	Ethanol, 2-amino-, 2-hydroxy-1,2,3-propanetricarboxylate (salt)	<15.0 %	NA

4. First Aid Measures

Emergency and First Aid Procedures:	Victims of severe exposure to chemicals must be taken to health providing centers for medical attention. Always bring with victim a copy of label and SDS of product to health professional.
In Case of Inhalation:	Move patient to fresh air. Supplemental oxygen may be needed. Assure mucous does not obstruct airways. Seek medical attention if victim's breathing becomes difficult.
In Case of Skin Contact:	Wipe off product and immediately wash affected area with abundant soap and water. Remove contaminated clothing taking care not to impregnate eyes. Seek medical attention if irritation occurs.
In Case of Eye Contact:	Holding eyelids apart, immediately flush eyes with copious amounts of clean water for at least 15 minutes. Seek medical attention should severe irritation occur.
In Case of Ingestion:	Immediately contact a physician or poison control center for treatment advice. Victim should drink large quantities of water, milk or egg whites. DO NOT INDUCE VOMITING unless instructed otherwise by medical personnel. Never give anything by mouth to anyone who is unconscious, having convulsions or unable to swallow.
Note to Physician:	Symptomatic treatment.

5. Fire Fighting Measures

Flash Point:	N.A.
Explosive Limits:	LEL: N.A. UEL: N.A.
Autoignition Pt:	N.A.
Suitable Extinguishing Media:	Use all means adequate to fight surrounding fire: water, foam, CO2, dry chemicals, etc.
Fire Fighting Instructions:	None specific for this product, however, it is suggested that firefighters wear self-contained breathing apparatus (SCBA) and full protective equipment, such as chemical resistant clothing.
Flammable Properties and Hazards:	Toxic fumes under fire conditions.
Hazardous Combustion Products:	

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures:

In case of a large spill, clear the affected area and protect people. Such releases should be responded to by trained personnel using pre-planned procedures. In the event of an incidental release, minimum Personal Protective Equipment must be worn: latex or rubber gloves and rubber boots, goggles or full face-shield and coveralls or long-sleeved shirt and pants. If product is clean, use it as intended, following original label directions; should it get contaminated, salvage for proper disposal as waste.

Steps To Be Taken In Case Material Is Released Or Spilled:

It is necessary to contain the spill into the smallest area possible by diking, scooping, etc., and place recovered liquid into an appropriate container, labeling it accordingly. Absorb residual product onto dry carrier such as wood shavings, sand or any other absorbent material, and collect in covered, labeled containers and dispose of as dry waste in accordance with Federal, State and Local waste disposal regulations.

7. Handling and Storage

Precautions To Be Taken in Handling:

All personnel who handle this material should be trained to work with it safely. Avoid breathing vapors or mist; use in well-ventilated location. Empty containers may contain residual liquid or vapors, therefore, should also be handled with care.

Precautions To Be Taken in Storing:

Store in a cool, dry place, away from direct sunlight, sources of intense heat or where freezing is possible. Store away from food, feed, clothing materials and living quarters. Whenever possible, place chemicals on secondary containers or diked area. Inspect all incoming containers before storage to ensure all are properly labeled and not damaged. Keep containers tightly closed when not in use.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1314-13-2	Zinc oxide	PEL: 5 mg/m ³ (fume); 15 mg/m ³	TLV: 2 mg/m ³ (resp.) STEL: 10 mg/m ³ (resp.)	
7758-99-8	Copper(II) sulfate pentahydrate		TLV: 1 mg/m ³ as Cu	
10043-35-3	Boric acid		TLV: 2 mg/m ³	
10101-97-0	Nickel(II) sulfate hexahydrate		TLV: 5 mg/m ³ as Mo	
17863-38-6	Ethanol, 2-amino-, 2-hydroxy-1,2,3-propanetricarboxylate (salt)			

Respiratory Equipment (Specify Type):

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Wear a NIOSH/OSHA approved respirator if working conditions require doing so.

Eye Protection:

Safety glasses should be worn in any type of operation with chemicals.

Protective Gloves:

Wear appropriate gloves to prevent skin exposure.

Other Protective Clothing:

Long-sleeved shirt, long pants and protective shoes should be worn as a good safety practice.

Engineering Controls (Ventilation etc.):

General ventilation is usually adequate. Local exhaust should be used if needed for safe, comfortable working conditions. An eye bath and washing facilities should be readily available.

Work/Hygienic/Maintenance Practices:

As a general rule, do not eat, drink, smoke, and/or chew gum or tobacco when handling chemicals. Wash thoroughly after handling this product. Remove all dirty or contaminated clothing and wash it before reusing.

9. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Green color. Very slight characteristic odor.
pH:	8.0 - 10.0
Melting Point:	
Boiling Point:	
Flash Point:	N.A.
Evaporation Rate:	
Flammability (solid, gas):	Product is non-flammable.
Explosive Limits:	LEL: N.A. UEL: N.A.
Vapor Pressure:	
Vapor Density (vs. Air=1):	
Specific Gravity (Water=1):	1.18 - 1.22
Density:	~ 10.0 LB/GA
Solubility in Water:	
Saturated Vapor Concentration:	
Octanol/Water Partition Coefficient:	
Autoignition Pt:	N.A.
Decomposition Temperature:	
Viscosity:	
Molecular Formula & Weight:	Proprietary 0.0

10. Stability and Reactivity

Reactivity:	Reactivity in water: N.A.
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Stable under normal condition, but avoid extreme heat and contact with incompatible materials.
Incompatibility - Materials To Avoid:	Not established.
Hazardous Decomposition or Byproducts:	May produce toxic fumes under fire conditions.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	None known.

11. Toxicological Information

Toxicological Information:	<p>Not enough data for this particular solution.</p> <p>CAS# 1314-13-2: Acute toxicity, TCLo, Inhalation, Human, 600.0 MG/M3. Result: Lungs, Thorax, or Respiration: Cough. Lungs, Thorax, or Respiration:Dyspnea. Lungs, Thorax, or Respiration:Other changes. ; Journal of Industrial Hygiene., For publisher information, see AEHLAU, Cambridge, MA, Vol/p/yr: 9,88, 1927</p> <p>Acute toxicity, LD50, Oral, Mouse, 7950. MG/KG. Result: Kidney, Ureter, Bladder:Urine volume increased. Nutritional and Gross Metabolic: Changes in: Sodium. Nutritional and Gross Metabolic:Changes in:K. ; Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow 113095 Russia, Vol/p/yr: 51(4),89, 1986</p> <p>CAS# 7758-99-8: Acute toxicity, LD50, Oral, Rat, 300.0 MG/KG. Result: Behavioral: Altered sleep time (including change in righting reflex). Behavioral: Change in motor activity (specific assay). Behavioral: Antipsychotic. ; "Agricultural Chemicals," 1976/77 revision, Thomson, W.T., 4 vols., Thomson Publications, Fresno, CA, Vol/p/yr: 2,182, 1977</p> <p>CAS# 10043-35-3: Acute toxicity, LD50, Oral, Rat, 2660. MG/KG. Result: Gastrointestinal:Hypermotility, diarrhea. Gastrointestinal:Nausea or vomiting. ; Journal of the American Medical Association, American Medical Association, 535 N. Dearborn St., Chicago, IL 60610, Vol/p/yr: 128,266, 1945</p>
Carcinogenicity/Other Information:	Not enough data for this particular solution.
Carcinogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information:	<p>The available data on this material does not indicate any undue hazard to the environment under anticipated use and storage. All work practices must be aimed at eliminating environmental contamination. Any waste due to spillage or leakage should be contained and disposed of accordingly, see above under Section 6 "Accidental Release Measures." May be toxic to fish due to its copper component. Due to its nutrient value, may contribute to eutrophication in bodies of water. To aid our customers in complying with regulatory requirements, SARA Title III hazard categories for this product are indicated in Section 15. If the word "YES" is marked next to any category, this product may be reportable by you under the requirements of 40 CFR Part 370. Please consult those regulations for details.</p>
--	---

13. Disposal Considerations

Waste Disposal Method:	<p>Waste disposal must be done following all Federal, State and Local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local waste regulatory authority.</p>
-------------------------------	---

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated. Trade Name: NEXTA STRONG

Not Regulated by DOT (49CFR §171.4) for packages of less than 45 gallons.

DOT Hazard Class:

UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated. Trade Name: NEXTA STRONG
UN Number: **Packing Group:**
Hazard Class:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated. Trade Name: NEXTA STRONG
UN Number: **Packing Group:**
Hazard Class:

Additional Transport Information:

DOT:
 Not regulated by DOT (49CFR §171.4) in containers less than 45 gallons. Containers 45 gallons (170.7 L) and larger reach the threshold limit for Reportable Quantity (RQ) of 10lb for Cupric Sulfate. Trade Name: ENERGY POWER

IATA:
 For packages less than 45 gallons (170.7 L): Not Regulated. Trade Name: ENERGY POWER

Placards / Markings:
 Not required as per 49CFR §172.504(f)(9) for domestic transportation.
 Miscellaneous 9 and Marine Pollutant for international transportation.
 "Limited Quantity" for packages with inner containers of less than 5 L each.

Emergency Response Guide Number: 171

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1314-13-2	Zinc oxide	No	No	Yes-Cat. N982
7758-99-8	Copper(II) sulfate pentahydrate	No	No	Yes-Cat. N100
10043-35-3	Boric acid	No	No	No
10101-97-0	Nickel(II) sulfate hexahydrate	No	No	Yes-Cat. N495
17863-38-6	Ethanol, 2-amino-, 2-hydroxy-1,2,3-propanetricarboxylate (salt)	No	No	No

Regulatory Information: TSCA Inventory: In compliance with inventory requirements for commercial purposes.

16. Other Information


Revision Date: 09/29/2024

Previous revision: 11/08/2022

Hazard Rating System:

HEALTH		1
FLAMMABILITY		0
PHYSICAL		0
PPE		

HMIS:



Additional Information About

This Product:

Company Policy or

Disclaimer:

Stoller believes the information contained in this Safety Data Sheet is accurate based on the information provided by reputable suppliers of our raw materials. However, Stoller does not guarantee their accuracy or completeness. The information contained herein is furnished without warranty of any kind, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for any particular purpose. Users should consider these data only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers. Stoller assumes no responsibility for results obtained or for incidental or consequential damages arising from the use of goods and data.